

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22171	709/200,201,227,228,229,232.cols.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:06
S2	8239	GGSN	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:11
S3	3228	GGSN and HLR	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:11
S4	16	GGSN and HLR and CGSN	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:11
S5	5	S4 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:12
S6	10	GGSN and HLR and CGSN and PDP	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:12
S7	3	GGSN and HLR and CGSN and PDP and DNS	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:12
S8	0	S7 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:12
S9	0	S6 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:13
S10	5	GGSN and HLR and CGSN and DNS	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:14

S11	2	S10 and @ad<"20031024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:14
S12	0	S11 and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:16
S13	2	S11 and access adj point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:16
S14	0	S11 and AP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:17
S15	12	server with (access adj point) with security with connection with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:19
S16	14	(server gateway) with (access adj point) with security with connection with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:19
S17	6	S16 and @ad<"20031024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:19
S18	3	prevent\$6 with fulfill\$6 with security with (criterium criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:21
S19	0	S18 and @ad<"20031024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:21
S20	6	prevent\$6 with traffic with security with (criterium criteria requirement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:22
S21	1	S20 and @ad<"20031024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:22

S22	23	(prevent\$6 block\$6) with traffic with security with (criterium criteria requirement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:22
S23	6	S22 and @ad<"20031024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:23
S24	3	(prevent\$6 block\$6) with traffic with security with (criterium criteria requirement) with access adj point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:23
S25	0	S24 and @ad<"20031024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:24
S26	0	S22 and @ad<"20031024" and access adj point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:24
S27	707	security near3 access adj point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:28
S28	18	security near3 access adj point with prevent \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:28
S29	6	S28 and @ad<"20031024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:28
S30	5	security near3 access adj point with (connection security access) adj (criterium criteria requirement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:48
S31	0	S30 and @ad<"20031024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:48
S32	91	access adj point with (connection security access) adj (criterium criteria requirement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:48

S33	22	S32 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 09:48
S34	5037	709/225.ccls.	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 11:41
S35	16230	709/224,225.ccls.	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/11 11:41
S36	45	(block\$6 prevent\$6) near2 other near2 (traffic transmission)	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 11:49
S37	28	S36 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 11:49
S38	8	S37 and security	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 11:49
S39	2	S38 and access adj point	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 11:50
S40	0	S37 and "709"/\$.ccls.	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 11:53
S41	555	secur\$6 adj (transmission traffic) with (block\$ prevent\$6)	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 11:57
S42	25	S41 and "709"/\$.ccls.	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 11:57
S43	7	S42 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/24 11:57

S44	23479	709/200,201,227,228,229,232.xls	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S45	8760	GGSN	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S46	3434	GGSN and HLR	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S47	19	GGSN and HLR and CGSN	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S48	5	S47 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S49	13	GGSN and HLR and CGSN and PDP	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S50	4	GGSN and HLR and CGSN and PDP and DNS	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S51	0	S50 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S52	0	S49 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S53	6	GGSN and HLR and CGSN and DNS	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S54	2	S53 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21

S55	0	S54 and security	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S56	2	S54 and access adj point	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S57	0	S54 and AP	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S58	12	server with (access adj point) with security with connection with client	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S59	14	(server gateway) with (access adj point) with security with connection with client	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S60	6	S59 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S61	3	prevent\$6 with fulfill\$6 with security with (criterium criteria)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S62	0	S61 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S63	7	prevent\$6 with traffic with security with (criterium criteria requirement)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S64	1	S63 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S65	25	(prevent\$6 block\$6) with traffic with security with (criterium criteria requirement)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21

S66	6	S65 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S67	3	(prevent\$6 block\$6) with traffic with security with (criterium criteria requirement) with access adj point	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S68	0	S67 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S69	0	S65 and @ad<"20031024" and access adj point	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S70	753	security near3 access adj point	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S71	19	security near3 access adj point with prevent \$4	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S72	6	S71 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S73	5	security near3 access adj point with (connection security access) adj (criteria criterium rule requirement)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S74	0	S73 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S75	93	access adj point with (connection security access) adj (criteria criterium rule requirement)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S76	22	S75 and @ad<"20031024"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21

S77	5343	709/225.ccls.	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S78	17443	709/224,225.ccls.	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S79	45	(block\$6 prevent\$6) near2 other near2 (traffic transmission)	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S80	28	S79 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S81	8	S80 and security	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S82	2	S81 and access adj point	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S83	0	S80 and "709"/\$.ccls.	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S84	556	secur\$6 adj (transmission traffic) with (block\$ prevent\$6)	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S85	25	S84 and "709"/\$.ccls.	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21
S86	7	S85 and @ad<"20031024"	US-PPGUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/29 11:21

3/31/11 11:09:57 AM  
 H:\East\Workspaces\10595489.wsp